		CORRE	ECTIONS TO C. G. LIG	SHT LIST, VO	OLUME I L	IGHT LIST, 2001	
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
970	- Lighted Buoy 19 Marks main channel east of ledge.		QG			Green.	
	*		*			*	36/01
995	- Lighted Buoy 29		FI G 2.5s			Green.	
	*		*			*	36/01
4815	Old Horse Ledge Daybeacon 10					TR on pile.	Ra ref. 36/01
4990	Eastern Egg Rock Daybeacon 15 On north end of rock.					SG on pile.	30/01
						*	36/01
5005	The Kegs Daybeacon TK	43 53 35 N 69 20 33 W				NB on pile.	
		*				*	36/01
	Friendship Harbor						
5035	Morse Ledge Daybeacon 1 On rock.	43 56 28 N 69 20 22 W				SG on pile.	
		*				*	36/01
5065	Murphy Ledge Daybeacon 9	43 58 00 N 69 20 25 W				SG on pile.	
		*				*	36/01
5070	Jameson Point Ledge Daybeacon 10					TR on pile.	
	Daybeacon 10					*	36/01
	Flying Passage						
5110	Bremen Long Island Daybeacon 1					SG on pile.	
	Bayboacon 1					*	36/01
5160	New Harbor Daybeacon 5					SG on pile.	
	On ledge.					*	36/01
5260	Hypocrite Ledge	43 47 25 N				NR on pile.	
	Hypocrite Ledge Daybeacon H	43 47 25 N 69 35 27 W				*	20104
5005	Will I I B I	*					36/01
5305	Middle Ledge Daybeacon 2					TR on pile.	36/01
5310	North Ledge Daybeacon 3					SG on pile.	53/01
55.0						*	36/01

		CORREC	CTIONS TO C. G. LIC	SHT LIST, VO	OLUME I L	IGHT LIST, 2001	
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5315	Steamboat Wharf Daybeacon 4 On point of rock.					TR on pile.	
						*	36/01
5325	The Gut Daybeacon 2 On ledge.	43 51 39 N 69 33 40 W				TR on pile.	
		*				*	36/01
5330	The Gut Daybeacon 3	43 51 44 N 69 33 33 W				SG on pile.	
		*				*	36/01
5365	Merry Island Daybeacon 15					SG on pile.	
5000	Davidina Daiat Davida a sau 40					*	36/01
5380	Perkins Point Daybeacon 19 On ledge.					SG on pile.	
						*	36/01
5495	Squirrel Cove Daybeacon 2 Marks rock.					TR on pile.	
						*	36/01
5505	Pig Cove Daybeacon 5					SG on pile.	36/01
5515	Capitol Island Daybeacon 1					SG on pile.	
	Ön ledge.					*	36/01
5615	Hunting Island Daybeacon 4					TR on pile.	
	On ledge.					*	36/01
	Hendricks Harbor						
5640	Nick Ledge Daybeacon 2					TR on pile.	
						*	36/01
	Sheepscot River						
5650	Marrs Ledge Daybeacon 5					SG on pile.	36/01
5675	Five Islands Ledge					TR on pile.	
	Daybeacon 2					*	36/01
	Goose Rock Passage						30/01
5695	MacMahan Island Ledge Daybeacon 1					SG on pile.	
	Баубеасон 1					*	36/01

		CORREC	TIONS TO C. G. LIG	HT LIST, VO	DLUME I L	IGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
5735	Clous Ledge Daybeacon 15					SG on pile.		
						*		36/01
5755	Isle of Springs Daybeacon 1 On ledge.					SG on pile.		
	Officuge.					*		36/01
F700	Davidalanda Davida asasa					ND as alla		00/01
5760	Ram Islands Daybeacon On ledge.					NR on pile.		
						*		36/01
5800	Merrill Ledge Daybeacon 22A On south point of ledge.					TR on pile.		
	on sound point of longer					*		36/01
5830	- Daybeacon 3					SG on pile.		
0000	Day Sociotin S					*		36/01
	Sasanoa River							
	Aids maintained from May 15 to	Oct. 15 unless oth	nerwise noted.					
5890	Blacksmithshop Ledge Daybeacon 1	43 51 09 N				SG on pile.		
	Daybeacon 1	69 43 55 W *						00/04
		*				*		36/01
5935	Swett Point Daybeacon 21 On ledge.					SG on pile.	Maintained year-round.	
						*		36/01
5940	Halftide Ledge Daybeacon 22	43 53 42 N 69 46 02 W				TR on pile.	Maintained year-round.	
		*				*		36/01
5945	Lime Rock Daybeacon 23					SG on pile.	Maintained year-round.	00/01
3943	Marks ledge.					33 on pile.	Maintained year-round.	
						*		36/01
6035	Jack Rock Daybeacon 5A Near top of ledge.					SG on pile.		
	. 0					*		36/01
6575	Hen Island Ledge	43 48 57 N				TR on pile.		
	Daybeacon 6 On west part of ledge.	69 51 51 W						
		*				*		36/01
6585	Bragdon Rock Daybeacon 10 On rock.					TR on pile.		
	On rock.					*		36/01
0700	Constantes Part 12							JU/U I
6720	Cox Ledge Daybeacon 10					TR on pile.		26/04
						•		36/01

		CORRE	ECTIONS TO C. G. LIG	SHT LIST, VO	DLUME I L	IGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
6775	Northwest Ledge Daybeacon 7 On easterly edge of ledge.					SG on pile.		
6820	Stockman Island Daybeacon 2 On ledge.					* TR on pile.		36/01
7200	Whitehead Ledge					* SG on pile.		36/01
7200	Daybeacon 3					*		36/01
7305	Upper Basket Ledge Daybeacon	43 44 24 N 70 08 58 W				NR on pile.		
7905	- Daybeacon 6	*				* TR on pile.		36/01
	On point of rock.					*		36/01
8065	Phillip Rock Daybeacon 5					SG on pile.		36/01
8160	Oaks Reef Outer Rock Daybeacon O South side of shoal.					NG on pile.		30/01
0405	D 1 40					*		36/01
8195	- Daybeacon 12					TR on pile.		36/01
8325	Stielman Rocks Daybeacon 3A On ledge.					SG on pile.		
	Pask Channel					*		36/01
8750	Back Channel Hicks Rock Daybeacon 2 Southwesterly of rocks.	43 04 44 N 70 43 09 W				TR on pile.		
		*				*		36/01
*13717	Nantucket Sound Channel Lighted Bell Buoy 21A		FI G 4s			Green		36/01
15385	- Bell Buoy 7						Remove from list.	30/01
18975	- Buoy 2	41 41 42 N				Red nun.	*	36/01
		71 14 39 W *						36/01

(1) No.	(1) (2) (3) (4) (5) (6) (7) (8) No. Name and Location Position Characteristic Height Range Structure Remarks											
	Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks					
	New Jersey Pierhead											
37010	- South Entrance Lighted Buoy 1	40 39 16 N 74 04 42 W	QG		4	Green.						
	*	*					36/0					
39115	Rouses Point Shoal Buoy 2 At east side of 4 foot shoal.	44 59 33 N 73 21 10 W				Red nun.						
		*					36/0					
39130	WINDMILL POINT LIGHT W	44 58 53 N 73 20 30 W	FI W 4s	80	5	NB on black skeleton tower.	Higher intensity beam to south.					
		*					36/0					
39135	STONY POINT BREAKWATER LIGHT 4		FIR 4s	19	5	TR on skeleton tower.	Higher intensity beam north and south.					
				*			36/0					
39163	Point au Fer Reef Junction Buoy AF	44 54 54 N 73 21 24 W				Red and green bands; nun.						
	200) :	*					36/0					
39165	ISLE LA MOTTE LIGHT M		FI W 4s	45	7	NB on black skeleton tower.						
00100	IOLE EXMOTTE FIGHT W		1111 40	40	*	NE ON BIGOR SROICION IOWOI.	36/0					
39230	Horseshoe Shoal South End	44 50 17 N				Green can.	33,3					
39230	Buoy 3	73 19 01 W				Gleen can.						
		*					36/0					
39240	Hills Shoal Buoy 1	44 49 44 N 73 19 18 W				Green can.						
		*					36/0					
39250	La Roche Reef Lighted Buoy 20	44 47 56 N 73 21 07 W	FIR 4s		3	Red.	Replaced by nun from Nov. 1 to May 1.					
		*					36/0					
	Main Channel											
39265	Middle Reef South Shoal Buoy 1 At south end of reef.					Green can.						
	*						36/0					
		CORRE	CTIONS TO C. G. LIG	GHT LIST, VO	DLUME II L	LIGHT LIST, 2001						
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks					
35 1100	Little Egg Inlet Outer Lighted Whistle	39 27 45 N 74 16 36 W	Mo (A) W		6	Red and white stripes with red spherical topmark.						

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

36/01

		CORRE	CTIONS TO C. G. LIC	SHT LIST, VO	LUME II	LIGHT LIST, 2001	
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	LITTLE EGG INLET TO HERE	FORD INLET (C	narts 12318)				
	Little Egg Inlet						
	Positions of buoys frequently s	hifted with changi	ng conditions.				
1100 35	- Outer Lighted Whistle Buoy LE	39 27 45 N 74 16 36 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
					*		36/01
1120	- Lighted Buoy D		Mo (A) W		6	Red and white stripes.	
					*		36/01
1130	- Lighted Buoy F		Mo (A) W		6	Red and white stripes.	
					*		36/01
1132	- Buoy G	39 30 06 N 74 18 23 W				Red and white stripes; nun.	
		*					36/01
	*Delete Heading: *Marshelder Channel						
1135	- Junction Buoy						Remove from list.
							* 36/01
	Marshelder Channel						
1140	- Buoy 1	39 31 33 N 74 17 37 W				Green can.	Private aid.
		*					36/01
44.45	Duny 2	20 24 22 N				Red nun.	
1145	- Buoy 2	39 31 33 N 74 17 29 W				Rea nun.	Private aid.
		*					36/01
	Cohansey						
1990	- LIGHT	39 20 30 N 75 21 41 W	FI W 4s (2 R sectors)	42	W 8 R 7	NB on black skeleton tower.	Red from 068° to 098° and from 275° to 305°.
		*	(2 11 0001010)				36/01
2475	HOPE CREEK JETTY	39 26 28 N	0.6	16	6	SG and NW on pile on red	
2475	LIGHT 1	75 30 41 W	ų o	10	0	cement block, NW worded DANGER SUBMERGED JETTY.	
		*			*		36/01
2760	- LIGHT 3	39 33 08 N 75 37 16 W	FI G 2.5s	20	5	SG on pile.	Higher intensity towards center span of bridge.
		*			*		36/01
3125	GRUBBS LANDING LIGHT	39 47 09 N		16	W 7	NG on skeleton tower.	Red from 205° to 290°.
		75 27 51 W *	(K sector)		R 5		00/04
		^					36/01

		CORRE	CTIONS TO C. G. LIG	SHT LIST, VO	LUME II I	LIGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
3433	- CHANNEL LIGHT 3		FI G 2.5s	15		SG on pile.		
*4547	- Daybeacon 41			*	*	SG on pile.	Private aid.	36/01
	.,							36/01
*4551.01	- Daybeacon 43	38 35 30 N 75 14 23 W				SG on pile.	Private aid.	
*								36/01
"4551.02	- Daybeacon 44					TR on pile.	Private aid.	36/01
*4551.03	- Daybeacon 45					SG on pile.	Private aid.	
*4551.04	- Daybeacon 46					TR on pile.	Private aid.	36/01
4331.04	- Daybeacon 40					rix on pile.	r iivale alu.	36/01
*4551.05	- Daybeacon 47					SG on pile.	Private aid.	
*4551.06	- Daybeacon 48					TR on pile.	Private aid.	36/01
								36/01
*4551.07	- Daybeacon 49					SG on pile.	Private aid.	36/01
*4551.08	- Daybeacon 50					TR on pile.	Private aid.	30/01
								36/01
*4551.09	- Daybeacon 51					SG on pile.	Private aid.	36/01
*4551.1	- Daybeacon 52					TR on pile.	Private aid.	
*4554.44	Derhauser 50					OO ar alla	Delivers and	36/01
4551.11	- Daybeacon 53					SG on pile.	Private aid.	36/01
*4551.12	- Daybeacon 54					TR on pile.	Private aid.	
*4551.13	- Daybeacon 55					SG on pile.	Private aid.	36/01
1001.10	- wj 2000011 00					p	aio dia.	36/01
*4551.14	- Daybeacon 56					TR on pile.	Private aid.	
*4551.15	- Daybeacon 57					SG on pile.	Private aid.	36/01
								36/01

		CORRECT	TIONS TO C. G. LIGI	HT LIST, VO	LUME II L	IGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
*4551.16	- Daybeacon 58					TR on pile.	Private aid.	
*								36/01
[~] 4551.17	- Daybeacon 59					SG on pile.	Private aid.	36/01
*4551.18	- Daybeacon 60					TR on pile.	Private aid.	00/01
								36/01
*4551.19	- Daybeacon 61					SG on pile.	Private aid.	
								36/01
^{4551.21}	- Daybeacon 62					TR on pile.	Private aid.	36/01
*4551.22	- Daybeacon 63						Private aid.	30/01
	·							36/01
*4551.23	- Daybeacon 64					TR on pile.	Private aid.	
								36/01
*4551.24	- Daybeacon 65					SG on pile.	Private aid.	00/04
*4551.25	- Daybeacon 66					TR on pile.	Private aid.	36/01
	•							36/01
*4551.26	- Daybeacon 67					SG on pile.	Private aid.	
								36/01
*4551.27	- Daybeacon 68					TR on pile.	Private aid.	00/04
*4551.28	- Daybeacon 68A					TR on pile.	Private aid.	36/01
								36/01
*4551.29	- Daybeacon 69					SG on pile.	Private aid.	
								36/01
*4551.31	- Daybeacon 70					TR on pile.	Private aid.	00/04
	Cape Windsor Channel							36/01
4950	- Daybeacon 2CW	38 27 00 N 75 04 17 W				TR on pile.	Private aid.	
	*	75 04 17 W *						36/01
4955	- Daybeacon 3					SG on pile.	Private aid.	00/01
7300	Saysoaoon o	38 27 04 N 75 04 18 W				OO ON PRIO.	i invato diu.	
		*						36/01

		CORRE	CTIONS TO C. G. LIG	GHT LIST, VO	DLUME II L	LIGHT LIST, 2001		_
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
4960	- Daybeacon 4	38 27 06 N 75 04 19 W				TR on pile.	Private aid.	
		*					36/	5/01
4965	- Daybeacon 5	38 27 06 N 75 04 16 W				SG on pile.	Private aid.	
		75 04 16 W					26	5/01
4070	5.1. 7					00 "		/01
4970	- Daybeacon 7	38 27 12 N 75 04 14 W				SG on pile.	Private aid.	
		*					36/	6/01
7682	- Lighted Buoy 78A		FI R 2.5s		6	Red.	Replaced by LIB of lower intensity when endangered by ice.	
					*		36/	6/01
	Sandy Point State Park							
7905	- Daybeacon 1	39 00 30 N 76 24 13 W				SG on pile.	Private aid.	
		*					36/	5/01
12933	Plumtree Bar Wreck						Remove from list.	
	Daybeacon						* 20	
							30/	5/01
20205	Forked Creek Daybeacon 1					SG on pile.	Private aid.	
	*						36/	5/01
20210	Forked Creek Daybeacon 2					TR on pile.	Private aid.	
	*						36/	5/01
20215	Forked Creek Daybeacon 4					TR on pile.	Private aid.	
	*					*	36/	5/01
20220	Cold Springs Cove Daybeacon 1					SG on pile.	Private aid.	
	*					*	36/	5/01
20225	Cold Springs Cove					TR on pile.	Private aid.	
	Daybeacon 2					,		
	*							/01
26700	Davis Creek Entrance Daybeacon 2	39 05 10 N 76 10 27 W				TR on pile.	Private aid.	
		*					36/	6/01
32900 38125	- LIGHT 4		FIR 4s	15	4	TR-SY on pile.		
30120				*			36/	5/01

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
38125 32900	- LIGHT 4		FIR 4s	15	4	TR-SY on pile.		
32300				*				36/0
38240	- LIGHT 27		QG	15	4	SG-TY on multi-pile structure.		
				*		*		36/0
38765	BOGUE SOUND LIGHT 3B	34 43 10 N 76 44 42 W	FI G 2.5s	15	6	SG-SY on pile.		
					*	*		36/0
		SUMMARY OF	CORRECTIONS TO C	. G. LIGHT L	IST, VOL	UME III LIGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
675 9815	Fort Pierce Inlet Lighted Buoy 2	27 28 39 N 80 15 25 W	FIR 4s		4	Red.		
		*						25/0
330	NOAA Data Lighted Buoy 41002	32 15 55 N 75 25 32 W	FI (4) Y 20s			Yellow boat-shaped with mast.		
	540y 11002	*						32/0
	*Delete Heading: *Key Biscayne FAD							
900	Key Biscayne Northwest FAD Buoy	25 42 50 N 80 05 28 W				Yellow can.	Private aid.	
	*	*						20/0
905	Key Biscayne Northeast FAD Buoy					Yellow can.	Private aid.	
	*							20/0
910	Key Biscayne Southwest FAD Buoy					Yellow can.	Private aid.	
	*							20/0
915	Key Biscayne Southeast FAD Buoy					Yellow can.	Private aid.	
	*							20/0
920	Fowey Rocks Light On outer line of reefs.	25 35 24 N 80 05 48 W	FI W 10s (2R sectors)	110	W 15 R 10	Brown octagonal, pyramidal skeleton tower, enclosing white stair cylinder and octagonal dwelling; pile foundation.	White from 188° to 359° a from 022° to 180°, red in intervening sectors. RACON: O ().	
								20/0
1615	SEAHORSE REEF LIGHT	28 58 31 N 83 09 13 W	FI W 6s	31	7	White square skeleton tower on piles.		
		*				*		23/0

		SUMMARY OF	CORRECTIONS TO C	. G. LIGHT I	IST, VOLUME I	III LIGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
	*Delete Heading: *Big Bend							
1635	- LIGHT 12						Remove from list.	
							*	20/01
1640	- LIGHT 14						Remove from list.	
							*	20/01
	*Delete Heading: *Big Bend							
1650	- LIGHT 16						Remove from list.	
							*	20/01
1655	- LIGHT 18						Remove from list.	
							*	20/01
1670	- LIGHT 20						Remove from list.	
							*	20/01
1675	- LIGHT 22						Remove from list.	
							*	20/01
	CHARLESTON HARBOR (Ch Charleston Harbor	art 11524)						
2465		32 45 00 N	FIR 4s		3 Red	I		
	- Channel Lighted Buoy 22 Marks submerged obstruction.	32 45 00 N 79 51 20 W						
		*						34/01
*4230.01	Coast Guard Mooring Buoy	32 24 38 N 80 36 14 W					Maintained by U.S. Coast Guard.	
								32/01
	*Delete Heading: *Baynard Cove Channel							
4345	- Daybeacon 1						Remove from list.	
							*	24/01
4350	- Daybeacon 3						Remove from list.	
							*	24/01
	*Add Heading: *Baynard Cove Channel							
4355	- Daybeacon 4				TR	on pile.	Private aid.	
								24/01
4365	- Junction Daybeacon						Remove from list.	
							*	24/01

(1) No.	(2)	(3)						
	Name and Location	Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
	St. Marys Entrance							
6525	- RANGE FRONT LIGHT	30 42 28 N 81 27 54 W	FI W 2.5s(Day) FI W 2.5s(Night)	26 30		KRW on tower. On same structure as Cumberland Sound Obstruction Light.	DAY: Visible on range line only. NIGHT: Visible 4° each side of range line.	
							*	21/01
6530	- RANGE REAR LIGHT 1,933 yards, 267.8° from front light.		Iso W 6s (Day) Iso W 6s (Night)	90 99		KRW on tower.	DAY: Visible on range lin NIGHT: Visible 4° each s range line. Lighted throughout 24 ho	side of
			*				*	
*9650.01	CAPE CANAVERAL JETTY LIGHT	28 24 30 N 80 35 14 W	FI W 2.5s	20	4	NW on skeleton tower worded SUBMERGED JETTY.		22/01
	Canaveral Harbor							29/01
9685.5	- Entrance Channel	28 24 38 N	FIR 4s		3	Red.		
	Lighted Buoy 14A	80 36 14 W						
		*						32/01
	FORT PIERCE HARBOR (Cha	art 11475)						
	Fort Pierce Inlet							
9815 675	- Lighted Buoy 2	27 28 39 N 80 15 25 W	FIR 4s		4	Red.		
		*						25/01
*9815.01	- Lighted Buoy 3		FI G 2.5s		3	Green.		
								25/01
*9815.02	- Lighted Buoy 4		FI R 2.5s		3	Red.		
								25/01
*9815.03	- Lighted Buoy 5		FI G 4s		4	Green.		
								25/01
*9815.04	- Lighted Buoy 6		FIR 4s		3	Red.		
								25/01
9815.1	- Lighted Buoy 3						Remove from list.	
								25/01
9815.2	- Lighted Buoy 4						Remove from list.	
0045.5								25/01
9815.3	- Lighted Buoy 5						Remove from list.	

		SUMMARY OF	CORRECTIONS TO C	. G. LIGHT L	LIST, VOL	UME III LIGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
9815.4	- Lighted Buoy 6						Remove from list.	
							*	25/01
	Fort Pierce Inlet Inner Harbor	r						
9830	- Lighted Buoy 7		FI G 2.5s		3	Green.		
		*						25/01
9835	- Lighted Buoy 8		FI R 2.5s		3	Red.		
		*						25/01
9840	- Lighted Buoy 9	*	QG		3	Green.		05/04
		•			_			25/01
9845	- Lighted Buoy 10	*	Q R		3	Red.		25/01
9850	- Lighted Buoy 11		FI G 2.5s		3	Green.		25/01
9000	- Lighted Buoy 11	*	FI G 2.05		3	Gleen.		25/01
10680.5	- LIGHT 13A	25 45 57 N	FIG 4s	16	3	SG on pile.		
.0000.0	2.6 (6.)	80 10 13 W		.0	ŭ	CC 3.1 p.161		
		*						21/01
	*Delete Heading: *Basin Hills Channel							
11510	- Daybeacon 2						Remove from list.	
							*	25/01
11515	- Daybeacon 3						Remove from list.	
							*	25/01
11520	- Daybeacon 5						Remove from list.	
44505								25/01
11525	- Daybeacon 7						Remove from list.	05/04
11530	- Daybeacon 9						Remove from list.	25/01
11000	Baybeacon 5						*	25/01
11535	- Daybeacon 11						Remove from list.	20/01
	,						*	25/01
	*Add Heading: *Matecumbe Harbor							
*12275.04	*Matecumbe Harbor - Daybeacon 1	24 54 24 N				SG on pile.	Private aid.	
123/3.01	- Бауреасон т	24 51 21 N 80 44 43 W				oo on pile.	FIIVALE dIU.	
								27/01

		SUMMARY OF C	ORRECTIONS TO C.	G. LIGHT L	IST, VOLI	JME III LIGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
*12375.02	- Daybeacon 2					TR on pile.	Private aid.	
*12375.03	- Daybeacon 3					SG on pile.	Private aid.	27/01
*12375.04	- Daybeacon 4					TR on pile.	Private aid.	27/01
*12375.05	- Daybeacon 6					TR on pile.	Private aid.	27/01
*12375.06	- Daybeacon 7					SG on pile.	Private aid.	27/01
	*Add Heading: *Bowlegs Cut							
12380	Lower Matecumbe Obstruction Daybeacon	24 50 54 N 80 45 06 W				NW on pile worded DANGER SUBMERGED PILING.		27/01
*12995.5	- Buoy 11					Green can.	Private aid.	
13265	Lignumvitae Shoal Buoy A						Remove from list.	28/01
							*	28/01
13270	Lignumvitae Shoal Buoy B						Remove from list.	29/01
13445	CHANNEL FIVE LIGHT 2	24 49 54 N 80 46 28 W	FIR 4s	16	4	TR on pile.		23/01
*40445.5	Observat Fire Devices on 4	*				TD or olle		29/01
13443.3	Channel Five Daybeacon 4					TR on pile.		29/01
14965	 Range Rear Daybeacon 45 yards, 076° from front daybeacon. 					KRW on dolphin.	Maintained by U.S. Navy.	
	*							20/01
16790.02	- Daybeacon 2					TR on pile.	Private aid.	20/01
16790.04	- Daybeacon 4					TR on pile.	Private aid.	2, 2 -
							*	20/01

		SUMMARY OF C	CORRECTIONS TO C	. G. LIGHT L	LIST, VOLI	JME III LIGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
	*Delete Headings: *LOSTMANS RIVER TO WIO *Gullivan Bay *Snook Hole Channel	GGINS PASS (Chart	t 11430)					
16790.06	- Daybeacon 8					TR on pile.	Private aid.	
							*	20/01
16986	Royal Marco Point North Obstruction Daybeacon	25 58 13 N 81 44 22 W				NW on pile worded DANGER SUBMERGED T-GROIN.	Private aid.	
		*						29/01
17455	- Daybeacon 2	26 05 27 N 81 48 25 W				TR on pile.		
		*						23/01
	Matanzas Pass Channel							
18085	- LIGHT 1	26 27 39 N 81 58 29 W	FI G 2.5s	16	4	SG on pile.		
		*						20/01
18107	- Daybeacon 5					SG on pile.		
	*					*		34/01
18110	- Daybeacon 6						Remove from list.	
							*	34/01
	*Delete Heading: *Matanzas Pass Channel							
18220	- Daybeacon 9A						Remove from list.	
							*	34/01
	Matanzas Pass Channel							
18225	- Daybeacon 10					TR on dolphin.		
	*		*	*	*		*	34/01
*18230.01	- LIGHT 12		FIR 4s	16	3	TR on dolphin.		
10005	LIQUE 45	00 07 00 N	FI 6 0 5	40	_	00 "		34/01
18235	- LIGHT 15	26 27 36 N 81 57 36 W	FI G 2.58	16	5	SG on pile.		
	*							34/01
18240	- Daybeacon 17					SG on pile.		
	*							34/01
40075	Matanzas Pass Channel	00.07.011				TD on alle		
18275	- Daybeacon 18	26 27 24 N 81 57 06 W				TR on pile.		
	*							34/01

		SUMMARY OF C	CORRECTIONS TO C	. G. LIGHT I	IST, VOLU	JME III LIGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remark	s
18280	- Daybeacon 20					TR on pile.		
	*							34/01
18285	- Daybeacon 22					TR on pile.		
	*							34/01
18290	- Daybeacon 24					TR on pile.		34/01
40005						TD as alla		34/01
18295	- Daybeacon 26					TR on pile.		34/01
18300	- Daybeacon 28					TR on pile.		0 1/0 .
	*							34/01
*18995.02	- Daybeacon 4					TR on pile.	Private aid.	
								24/01
*18995.03	- Daybeacon 6					TR on pile.	Private aid.	
4								24/01
18995.04	- Daybeacon 8					TR on pile.	Private aid.	24/01
*18995.05	- Daybeacon 10					TR on pile.	Private aid.	24/01
	•							24/01
*18995.06	- Daybeacon 12					TR on pile.	Private aid.	
								24/01
*18995.07	- Daybeacon 13					SG on pile.	Private aid.	
*18005.08	- Daybeacon 15					SG on pile.	Private aid.	24/01
10333.00	- Daybeacon 10					oo on pile.	i iivate alu.	24/01
*18995.09	- Daybeacon 16					TR on pile.	Private aid.	
								24/01
*18996	- Daybeacon 18					TR on pile.	Private aid.	
*								24/01
18996.01	- Daybeacon 22					TR on pile.	Private aid.	24/01
*18996.02	- Daybeacon 24					TR on pile.	Private aid.	24/01
	•					·		24/01
*18996.03	- Daybeacon 26					TR on pile.	Private aid.	
								24/01

		SUMMARY OF	CORRECTIONS TO C.	G. LIGHT L	IST, VOL	UME III LIGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
*18996.04	- Daybeacon 27					SG on pile.	Private aid.	
								24/01
*18996.05	- Daybeacon 28					TR on pile.	Private aid.	
								24/01
*18996.06	- Daybeacon 29					SG on pile.	Private aid.	
								24/01
*18996.07	- Daybeacon 30					TR on pile.	Private aid.	
								24/01
*18996.08	- Daybeacon 32					TR on pile.	Private aid.	
.0000.00	24,2040002						· ···ato ata	24/01
*18996.09	- Daybeacon 33					SG on pile.	Private aid.	24/01
10990.09	- Daybeacon 33					SG on pile.	Private alu.	0.4/04
*40007	D 1 01					TD "	B:	24/01
*18997	- Daybeacon 34					TR on pile.	Private aid.	
.								24/01
18997.01	- Daybeacon 35					SG on pile.	Private aid.	
								24/01
*18997.02	- Daybeacon 36					TR on pile.	Private aid.	
								24/01
22435	NORTH LOAD TEST PLATFORM LIGHT						Remove from list.	
							*	23/01
00440	COUTUL OAD TEST						Dames of from Kat	25/01
22440	SOUTH LOAD TEST PLATFORM LIGHT						Remove from list.	
							*	23/01
	Cut E Channel							
22745	- LOWER RANGE FRONT	27 42 24 N	QR	26		KRW on pile.	Visible all around; higher	
	LIGHT	27 42 24 N 82 32 24 W	4				intensity on rangeline.	
						*		34/01
*25600.01	TREASURE ISLAND NORTH	27 46 50 N	FI W 6s	13	5	NW on pile worded	Private aid.	
	TERMINAL GROIN OBSTRUCTION LIGHT	82 47 01 W				DANĠER SUBMERGED GROIN.		
								27/01
30780	- Lighted Buoy 6		FI R 2.5s		3	Red.		
					*			29/01
	Graving Dock Channel							
31060	- RANGE FRONT LIGHT	18 26 27 N	0.6	41		KRW on skeleton tower.	Visible all around; higher	
31000	RANGE LIVONT LIGHT	66 04 59 W	40	71		TATAY OH SKEICIOH IOWEI.	intensity on rangeline.	
		*						23/01

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
31065	- RANGE REAR LIGHT 502 yards, 107.7° from front light.		Oc G 4s	83		KRW on tower.	Visible 2° each side of	rangeline
	*							23/0
31995	- Lighted Buoy 7		FI G 2.5s		4	Green.		29/01
	*Add Headings: *Winyah Bay - Charleston H. *Ashepoo-Coosaw Cut-off	arbor						29/01
35205.01	- Buoy 184A	32 30 39 N 80 30 11 W				Red nun with yellow triangle.		
35205.01	- Buoy 184A						Remove from list.	23/01
	•						*	27/01
	*Add Headings: *Winyah Bay - Charleston H *Ashepoo-Coosaw Cut-off	arbor						
*35205.02	- Buoy 185	32 30 39 N 80 30 08 W				Green can with yellow square.		
	*Change Headings to Read: *Charleston Harbor - Savani *Coosaw River	nah River						23/01
35210	- LIGHT 186 Marks shoal extending out between Combahee and Coosaw River.	32 30 23 N 80 30 22 W	FI R 2.5s	12	3	TR-TY on dolphin.		
	*Add Heading: *Winyah Bay - Charleston H Ashepoo-Coosaw Cut-off	arbor						23/01
35205.02	- Daybeacon 185	32 30 39 N 80 30 08 W				SG-SY on pile.		07/04
40020	- Daybeacon 36					•	Remove from list.	27/01
40020	- Daybeacon 30						* *	29/01
40600	- LIGHT 14	29 03 25 N 80 55 25 W	FIR 4s	12	3	TR-TY on pile.		
		*						24/01
*43425.5	- Daybeacon 34A					TR-TY on pile.		

		SUMMARY OF C	ORRECTIONS TO C	. G. LIGHT I	IST, VOLU	JME III LIGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
	*Delete Heading: *Perry Technologies							
46660	- Daybeacon 1						Remove from list.	
							*	29/01
46665	- Daybeacon 2						Remove from list.	
							*	29/01
47015	- Buoy 46					Red nun with yellow triangle.		
	*					*		23/01
	Biscayne Creek							
47740	- Daybeacon 57	25 55 57 N 80 07 49 W				SG-SY on pile.		
		*						25/01
48120	- Daybeacon 10						Remove from list.	
							*	23/01
*50700.5	- Buoy 6A	27 09 55 N 80 24 24 W				Red nun with yellow triangle.		
								27/01
	*Delete Heading: *Martin Downs Marina							
51015	- Daybeacon 1						Remove from list.	
							*	29/01
51020	- Daybeacon 2						Remove from list.	
							*	29/01
51025	- Daybeacon 3						Remove from list.	
							*	29/01
51030	- Daybeacon 4						Remove from list.	
							*	29/01
51035	- Daybeacon 6						Remove from list.	
							*	29/01
51040	- Daybeacon 7						Remove from list.	
								29/01
51045	- Daybeacon 8						Remove from list.	00/04
*56135.01	- Daybeacon 74					TR-TY on pile.		29/01
JU 133.U1	- Баурсасон 74					TIC-11 OII pile.		34/01
								0.701

		SUMMARY OF	CORRECTIONS TO C	. G. LIGHT I	IST, VOL	UME III LIGHT LIST, 2001		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
59560	- LIGHT 47		FI G 2.5s	16	3	SG-SY on pile.		
	*		*	*	*			20/01
*60985.01	- Daybeacon 6A					TR on pile.	Private aid.	
								24/01
*61010.01	- Daybeacon 12					TR on pile.	Private aid.	
								24/01
		CORRE	CTIONS TO C. G. LIG	HT LIST, VO	LUME IV	LIGHT LIST, 2000		
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks	
827	Newfield-102-21 Buoy Marks subsea installation.						Remove from list.	
							*	36/01
4980	- Lighted Buoy 3		FI G 2.5s		4	Green.		
			*					36/01
4985	- Lighted Buoy 4		FI R 2.5s		4	Red.		
			*					36/01
*37037	ROCKPORT SMALLBOAT HARBOR JETTY LIGHT 1	28 00 05 N 97 03 15 W	FI G 2.5s	13		SG on dolphin	Private aid	
								36/01
*37039	ROCKPORT SMALLBOAT	28 00 06 N 97 03 16 W	FI R 2.5	13		TR on dolphin.	Private aid.	
	HARBOR JETTY LIGHT 2	97 03 16 W						36/01
	*Delete Heading:							00,01
07040	*Rockport Smallboat Harbor	Channel					5 (".	
37040	- LIGHT 1						Remove from list.	00/04
37045	- Daybeacon 3						Remove from list.	36/01
37045	- Daybeacon 3						* *	26/04
37050	- Daybeacon 5						Remove from list.	36/01
31030	Daybeacon 3						*	36/01
	*Change Headings to Read: *Port O'Connor - Corpus Chr *Aransas Bay	risti						50/01
37055	- Buoy 44					Red nun with yellow triangle.		
31000	- Duoy 44					ixed fiult with yellow thangle.		

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

36/01

		CORRE	CTIONS TO C. G. LIG	HT LIST, VO	LUME VI	LIGHT LIST, 2001	
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4285	PRESIDIO SHOAL LIGHT 2		FI R 2.5s	15		TR on pile.	
	*		*	*		*	36/0
5760	Richmond Long Wharf Fog Signal	37 55 18 N 122 24 42 W				Building on wharf.	Private aid. HORN: 2 blasts ev 30s (2s bl-2s si-1s bl-24s si).
							36/0
10150	- Range Lighted Buoy 42 200 yards outside channel limit.	46 12 36 N 123 46 45 W	FIR 4s		5	Red.	
		*					36/0
		CORRE	CTIONS TO C. G. LIGI	HT LIST, VO	LUME VII	LIGHT LIST, 2001	
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2395	THIRTYMILE POINT LIGHT	43 22 30 N 78 29 11 W	FI W 10s	60 18		Square tower on northeast corner of two-story house.	Maintained from Apr. 1 to Nov. 1. Private aid.
		*	*				* 36/0 ⁻